

GENERAL INFORMATION

TYR-588 is a general-purpose coating product that is produced using the chlorination process and has been treated with zirconium, aluminum, and organic surfaces. This product has high whiteness, high dispersion, high coverage and other properties, and is widely used in coatings, inks and other fields.

KEY FUTURES

- High whiteness
- High coverage
- High dispersion

PROPERTIES

Surface treatment	: Zirconium and aluminum
TiO ₂ content	: ≥93.0%
Rutile type conversion rate	: ≥99.8%
L*	: ≥98.2
B*	: 1.6-2.0
Carbon black background	: 13-15
PH Value	: 6.5 - 8.5
Volatile at 105°C	: ≤0.5%
Oil absorption, g/100g	: ≤20.0
High stirring dispersion (μm)	: ≤25
Resistivity, Ω·m	: ≥100

PACKAGE & STORAGE

Package: 25kgs craft paper bag with pallets, or 500kgs/1000kgs plastic woven bag.

Storage: Keep tightly sealed and stored in a cool, dry and well-ventilated area.

CONTACT

Hangzhou Peijin Chemical Co., Ltd.

Add: Rm 809, No 9 Bld, No 332 Chihua st, Hangzhou, China

Tel: +86-571-86333092 Fax: +86-571-86333092 E-mail: amylin@pekinchem.com

NOTE

The above information is provided as guidelines only. It is important that the customer evaluate any product in their own resin system to determine suitability.